

DCN-WDD-D Wireless Dual Discussion Unit



To the participant the most important part of a conference system is the discussion unit. Bosch has built on the elegant design of the DCN Next Generation discussion units to create a new series of wireless discussion units with unrivalled looks and features.

Maximum speech intelligibility is guaranteed at all times. Operating in the 2.4 GHz (license free) band, the wireless discussion units produce crystal-clear sound due to a very high signal-to-noise ratio. The system is also protected against interference from other wireless equipment such as mobile phones, Bluetooth devices and WiFi networks. Wireless communication means extra security considerations. The DCN Wireless system and discussion units therefore feature multiple-layer protection to prevent eavesdropping and unauthorized access. Digital protection ensures the information within the system remains confidential.

The DCN-WDD-D Wireless Dual Discussion Unit enables participants to speak, register a request-to-speak, and listen to the speaker.

A socket is provided to connect the pluggable microphones which are available in short and long stem versions (DCN-MICS and DCN-MICL, to be ordered separately).

The unit also accommodates two separate headphone connections with individual volume control on either side of the unit, allowing one unit to serve two delegates. It can be converted to a full dual-use unit by replacing the

- ► Two separate headphone connections with individual volume control
- Useable as single/dual delegate or chairman unit
- Separate battery pack, easy to change and charge
- Advanced power saving techniques
- Low susceptibility to electromagnetic interference
- Auto microphone-off
- Auto-search for own network
- Auto switch-off when out of range

microphone button with two separate buttons for individual microphone control and individual delegate identification (DCN-DISBDD dual-use buttons, to be ordered separately). To prevent acoustic feedback the built-in loudspeaker is muted when the microphone is on. If enabled, the headphones volume is also automatically reduced to prevent acoustic feedback when the microphone is on. Different rims are available to allow matching with the interior (DCN-DISR, to be ordered separately).

The unit can be used as:

- a single delegate unit
- a dual delegate unit
- a chairman unit (DCN-DISBCM chairman buttons, to be ordered separately)
- a single delegate unit with auxiliary button (to be used as an usher call, for example).

Simple battery maintenance is essential in a wireless system. A unique feature of Bosch's wireless discussion units are the separate rechargeable battery packs (DCN-WLIION, to be ordered separately). These Lithium-ion battery packs can be removed and replaced in a matter of seconds, providing maximum flexibility in recharge scheduling.

Functions

Controls and Indicators

On front

- Microphone button with a red or green illuminated ring (red indicates microphone is active, green indicates request-to-speak accepted)*
- Two individual headphone volume control buttons On rear
- Out-of-range indicator
- Battery low indicator

Under base

- Recessed 'De-init' switch
- Mode select switches (delegate, chairman, etc.)

Interconnections

- Socket for pluggable microphone
- Two 3.5 mm (0.14 in) headphone sockets stereo jack type
- DC power input from DCN-WPS (accessible when battery is removed)

* When unit is used in Dual Delegate mode, this function is available individually.

Technical Specifications

Electrical

Frequency response	30 Hz - 20 kHz
Headphone load impedance	> 32 ohm < 1k ohm
Output power	2 x 15 mW/32 ohm
Mechanical	
Mounting	Tabletop
Dimensions (H x W x D) without microphone	61 x 190 x 160 mm (2.4 x 7.5 x 6.3 in)
Weight without battery with battery	500 g (1.10 lb) 715 g (1.57 lb)
Color top	Silver (RAL 9022)
Color base	Charcoal (PH 10736)

Ordering Information

DCN-WDD-D Wireless Dual Discussion Unit dual delegate, pluggable microphone, dark base, wireless	DCN-WDD-D
Accessories	

ALLESSUITES	
DCN-DISBDD Buttons for Dual Use Discussion Unit set of 10	DCN-DISBDD
DCN-MICS Pluggable Microphone Short stem length 310 mm (12.2 inch)	DCN-MICS
DCN-MICL Pluggable Microphone Short stem length 480 mm (18.9 inch)	DCN-MICL
DCN-DISRH-SR Rims for Discussion Units silver, high gloss, set of 10	DCN-DISRH-SR
DCN-DISR-SR Rims for Discussion Units silver, set of 10	DCN-DISR-SR
DCN-DISR-D Rims for Discussion Units dark, set of 10	DCN-DISR-D
DCN-DISRMH Rims for Discussion Units metal, high gloss, set of 10	DCN-DISRMH
DCN-DISRMS Rims for Discussion Units metal, semi gloss, set of 10	DCN-DISRMS
DCN-DISBCM Buttons for Chairman Discussion Unit set of 10	DCN-DISBCM
DCN-WLIION-D Battery Pack charcoal color, lithium-ion, 7.2 VDC, 4800 mAh	DCN-WLIION-D
DCN-WPS Power Supply powers wireless discussion units if no bat- tery pack is present	DCN-WPS
DCN-WFCD10 Flight Case for Wireless Discus- sion units light grey, holds 10 wireless discussion units and 2 charging units	DCN-WFCD10

Europe, Middle East, Africa: Bosch Security Systems B.V. P.O. Box 80002 5600 JB Eindhoven, The Netherlands Phone: + 31 40 2577 284 Fax: +31 40 2577 330 emea.securitysystems@bosch.com www.boschsecurity.com

Americas: Bosch Security Systems, Inc. 130 Perinton Parkway Fairport, New York, 14450, USA Phone: +1 800 289 0096 Fax: +1 585 223 9180 security.sales@us.bosch.com www.boschsecurity.us

Asia-Pacific: Bosch Security Systems Pte Ltd 38C Jalan Pemimpin Singapore 577180 Phone: +65 6319 3450 Fax: +65 6319 3499 apr.securitysystems@bosch.com www.boschsecurity.com

Represented by

@ Bosch Security Systems 006 | Data subject to change without notice E2429290507 | Cur: en-US, V2, 14 Sep 2006